

Notice of Allowability

Application No.

10/084,115

Examiner

THUAN T. NGUYEN

Applicant(s)

SOLUM, JEFF

Art Unit

2618

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to ____.
2. ☒ The allowed claim(s) is/are 1-36.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: ____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date ____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date ____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date ____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date ____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other ____.

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-36 have been allowed.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

The prior art of record issued to Kintis fails to teach or suggest each and every element in a wireless distribution system and its corresponding method, comprising a plurality of remote units distributed in a coverage area to receive upstream supported and non-supported wireless signals; a plurality of input ports to receive signals comprising the wireless signals provided by the plurality of remote units; a plurality of input power monitors operatively connected to one or more of the plurality of input ports to determine power levels of signals received at the input ports; a plurality of variable gain controllers to control the gain of signals received at the one or more of the plurality of input ports in response to a plurality of corresponding control signals; a node to combine a plurality of signals from the plurality of input ports; and a controller to provide the plurality of corresponding control signals to individually control each of the variable gain controllers as called for in claims 1 and 12, similarly in claims 14, 15 and 16, and further including the steps of "receiving a spectrum of upstream supported and non-supported wireless signals at a plurality of remote units" and "determining individual control signals for controlling the signal levels of each of the input ports based on a weighting function that is proportional to the monitored input power levels such that the combined power as determined by the combined power monitor does not exceed a predetermined level, and attenuating the signals received at

Art Unit: 2618

each of the input ports in response to the control signals” as in claim 18 as well as in claim 23 for a digital expansion unit with a plurality of input ports to receive signals comprising upstream supported and non-supported wireless signals from a plurality of digital remote units, a plurality of input power monitors, and a plurality of gain controllers to adjust the gain of signals received at some or all of the input ports; and as in claims 24, 25 and 32 for a combined power monitor and a controller with its corresponding method in addition to the features of the digital expansion unit as noted.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to the New Central Fax number:

(571) 273-8300, (for Technology Center 2600 only)

Hand deliveries must be made to Customer Service Window,

Randolph Building, 401 Dulany Street, Alexandria, VA 22314.


Art Unit: 2618

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Thuan Nguyen whose telephone number is (571) 272-7895. The examiner can normally be reached on Monday-Friday from 9:30 AM to 7:00 PM, with alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban, can be reached at (571) 272-7899.

The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Division or Art Unit 2618.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



TONY T. NGUYEN
PATENT EXAMINER, FSA

Tony T. Nguyen
Art Unit 2618
October 5, 2006